



Cape to Krüger

This report resumes a bird trip that took place 25 January-22 February 2008 by brothers Anders and Theis Bacher. It started out in Cape Town, covering the peninsula, the southern part of the west coast and the wine country. The trip continued along the garden route to Wilderness Nature Park and Natures Valley. After a full day of driving, via Umtata, the next part was the Drakensberg area, followed by the wetland area of St. Lucia and the game reserves of Mkuze and Bonamanzi. Finally we spent one week in Krüger, covering the park from south to north. If we had more time or return, we would have visited N'dumo, highly recommended by a local bird guide (Johan).

We made few reservations from home (first night in Cape Town, 2 nights in Stellenbosch and in Bonamanzi). We were partly restricted finding accommodation in Krüger, so you should book in advance here. Over Christmas and Early January the picture changes completely, and accommodation needs to booked 6-9 months ahead. Accommodation seems to be easier to find in Mkuze than St. Lucia, which is a bit strange given the excellent birding and wildlife.

We stayed a weekend around Cape Town in order to have sufficient time to do car rental and get some cultural views and gastronomic experiences (see wine section).

Car rental was done in Cape Town just two days before departure with the company Roundabout.com. A middle class Nissan with automatic transmission was 350 rand a day with full cover included and delivery at Johannesburg Airport.

As fieldguide we used *Birds of southern Africa* by Sinclair, Hockey and Tarboton. Also very useful is *Birdfinder* by Cohen, Spottiswoode and Rossouw with maps and directions to bird locations.

Locations visited and referred to in the report:

- Lion's Head
- Kirstenbosch Botanical Garden
- Rondevlei Nature Reserve
- Strandfontein Sewage Works
- Boulders Beach
- Kommetjie
- Paarl Bird Sanctuary
- Darling Hills Road
- West Coast National Park
- Agulhas Plain Loops
- De Hoop Nature Reserve

- Grootvadersbosch Nature Reserve
- Wilderness
- Nature's Valley
- Unterberg/Himevile Area
- Dlinza Forest
- Mtunzini and Umlalazi
- Greater St. Lucia Wetlands
- Bonamanzi Game Reserve
- Mkuze Game Reserve
- Swaziland Nisela Safari
- Krüger National Park

Itinerary

25 Jan: Late arrival to Cape Town

26 Jan: Day walk and birding around Lion's Head

There are some possibilities for bird watching just around Cape Town. Either Table Mountain or the two minor peaks Lion's Head and Signal Hill can be reached on a day trip starting from the





centre. You can also drive and park your car on the bottom of the hill. We planned to climb Lion's head, hiking fourth and back from our hostel in Long Street and realised it was longer than it seemed, so bring enough food and water. We were lucky to catch a ride with an Irish couple back to town. The trip produced **Forest Buzzard**, **Alpine and African Black swifts**, **Pied Crow**, **Karoo Prinia**, **Rock Kestrel** and **Black Sparrowhawk** among others.

27 Jan: Alfred's and Victoria's

The day was mostly spent wandering along the harbour and green point, settle the car rental, do some shopping and get ready for an early departure the following day. Still, **Hadeda Ibis**, **Blacksmith Plover**, **Kittlitz's Plover** and a couple of tern species seem to be common residents in the city.

28 Jan: Kirstenbosch botanical garden, Rondevlei, Strandfontein sewage works Kirstenbosch is a very pleasant park and one of the best places to see Cape Sugarbird plus other western specialties due to the great variety of flowers and plants. Two male sugarbirds were seen fighting, a great sight with long feathers all around. Other highlights were a soaring Peregrine falcon, Cape Robin-Chat, Orange-breasted, Southern Double-collared Sunbirds, Burchell's Coucal and Spotted Eagle-Owl. The garden has a magnificent setting and offers a great introduction to South African species. Having spent half the day in Kirstenbosch we hurried on to the incredible wetlands of Rondevlei and Strandfontein. The former was the most charming one with wooden boardwalks and hides, the latter is mostly big sewage ponds. Rondevlei is excellent for ducks (9 species) and herons (7 sp., including a lonely Goliath Heron, rarely seen in the area), but it also gave White Pelican, African Spoonbill, Sacred Ibis, Cape Francolin, White-necked Raven, Pied Kingfisher. Strandfontein gave similar species, but not as many, but it added Greater Flamingo and Black-necked Grebe. We spent the night in Afton Grove.

29 Jan: Kommetjie, Boulders Beach, Chapman's peak drive, Darling Hills road The crew at Afton Grove knows a lot about the good birding locations on the entire peninsula. After

their recommendation we took a pre-breakfast trip to the town of Kommetjie specifically to look for **Black Oystercatcher** and **Bank Cormorant** and we easily found them in good numbers. These two endangered species seem to be relatively common here. Leaving Afton Grove after breakfast we went to the tourist magnet of Boulders Beach, to see the penguin colony. They are there and they are funny, but the place is packed with groups of package tour tourists so you don't want to spend a lot of time. Alternatively there is another colony at Betty's Bay further east. We skipped the Cape Point due to time limit and we couldn't take another tourist swarm. Instead we took the Chapman's peak drive up north which covers a dramatic and beautiful stretch of the coast. One of our main goals of the day was the Darling Hills road which is well described in Birdfinder. It is an hour's drive north of Cape Town. Take a right opposite the Grotto Bay Sign which takes you on a long gravel road towards the village of Darling. Here we saw all three kinds of **Mouse birds**, **Yellow-billed Kite**, **Rufous-chested Sparrowhawk**, **Blue Cranes**, **Crowned Plover**, **White-throated Swallow and Southern Black Koorhan**. The night was spent in a friendly B&B in Darling.

30 Jan: West Coast National park (WCNP), Paarl bird sanctuary, Stellenborsch A short visit to the small Tienie Versveld Nature Reserve produced a group of **White Pelicans**, **Large-billed Lark, Red-capped Lark** and **Cape Longclaw**. WCNP quickly gave us the first ostriches and further up the western road a **Karoo Scrub-robin** was the highlight. At the hides at Geelbek we weren't able to make it at prime time (at low tide in the morning and late afternoon) so the outcome of the waders was rather disappointing. Still, **white-fronted plover**, **grey plover**, **ruff**,





curlew sandpiper, sanderling, little stint, common greenshank, common whimbrel, Eurasian curlew, ruddy turnstone and South African Shellduck were present.



Black Oystercatchers and Hartlaub's gulls at Kommetjie

Near Langebaan we had some **Cape Penduline-Tits** and a beautiful male **Black Koorhaan**. Paarl bird sanctuary is worth a visit, it seems like a place you can spend some hours; we only had one and saw among others **Malachite Kingfisher**, **Three-banded plover**, **Fiscal Flycatcher** and lots of **Whiskered Terns**.

31 Jan: All day wine trip around Stellenbosch

1 Feb: Jonkershoek, Franshoeck

This small mountainous national park was primarily done to fill out a morning before the wineries started tasting. You can hike to two different waterfalls. Here the main species recorded were **Booted Eagle**, **White-rumped Swift** and **Neddicky**. It's not a huge attraction bird wise, but a nice hike.

2 Feb: Sir Lowry's Pass, Bettys Bay, Hermanus, Agulhas plain loops

After leaving Franshoeck we tried our luck for rockjumper at Sir Lowry's pass. It was a rather frustrating experience, since Birdfinder's description was difficult to follow. You have to cross the N2 by foot (which can be a little scary) and walk along it as it turns and apparently some trails should take you up the cliffs, but they never seem to exist. Anyway, from the parking lot there are some stunning views over the False Bay.





Departing from Hermanus we spent the afternoon exploring the fields on some gravel roads towards de Hoop Nature Reserve. These are the Agulhas Plains. Here **Denham's Bustard**, **Namaqua Dove**, **Southern Red Bishop** and **Bokmakerie** were some of the sights.

According to Birdfinder you could follow the gravel roads all the way to Swellendam in which we planned to stay, but apparently the writers forgot to say that you had to cross a river by a boat, that was not in service when we arrived. It didn't look promising, so plan B was to stay in the small town of Malagas, in where a really nice B&B is placed. (Dinner can be arranged)

Their garden attracted a bunch of interesting species; **Malachite Sunbird, Cape Weaver** and **Southern Boubou**.



Malachite Sunbird, Malagas

3 Feb: De Hoop Nature Reserve, Potberg, Grootvadersbosch

Our first **Gymnogenes** were a highlight of the morning. Malagas consist of a few houses and gardens that attracted **Lesser Honeyguide and Great Striped Swallow**.

We visited De Hoop Nature Reserve in the morning and Potberg in the afternoon. The first location gave good views of **Pin-tailed Whydah**, **Ostrich with offspring**, **Southern Tchagra** and **Speckled Mousebird**. Potberg is famous for its Cape Vulture colony and they were seen in good numbers. We already saw them from the parking lot but we made a scenic two hour roundtrip up the hills which gave really close views. Other species included: **Cape Siskin**, **Jackal Buzzard**, **Black Harrier and Fork-tailed Drongo**.

Our plan was to visit Grootvadersbosch in the late afternoon and then drive to Wilderness. Having been 5 minutes in Grootvadersbosch, we decided to find accommodation, due a very promising





first impression. We wanted to explore the area in the early morning. With a little difficulty we manage to get first a room (Honeywood Farm), but later we were upgraded to a full house, since we were the only visitors. The evening was spent looking for nightjars.

4 Feb: Grootvadersbosch, drive to Wilderness

We left the otherwise adorable and recommendable Honeywood Farm unexpectedly fast in the morning due to a hand sized house spider giving us company in the kitchen. At the gate into the forest there's a bell you can ring to get in contact with the very nice staff. We got in at 6.30 despite it only opens at 7.00. As soon as you get in, the road descents and the tall grass is good for **Swee Waxbill**. A juvenile **Klaas's Cuckoo** appeared. There are some bird hides which were rather unproductive, but perhaps we were just unlucky. Inside the forest we saw **Grey Cuckoo-shrike** and **Greater Double-collared sunbird**. Generally it wasn't that productive but the area is very beautiful and worth a visit. We drove hereafter to Wilderness. We stayed at Fairy Knowe Backpackers.

5 Feb: Wilderness

Got up at dawn to calls of **Knysna Turacos** surrounding the hostel garden and five was easily observed for a long time. We entered the Wilderness from a back road where train and cars share the lane shortly. From here we did the Half-collared Kingfisher trail which takes you up along the river. Here the turacos were easily heard and seen from above when they moved from tree to tree. Also present was **Black-headed Oriole**.

We had a late arrival to the unmistakable town of Natures Valley, which is a recreation area for richer South African people.

6 Feb: Nature's Valley followed by full day drive to Unterberg, Drakensberg

At sunrise we tried to walk the paths enclosing the river. The floods in 2000 were very destructive here and the boardwalk is still not re-build and a round trip was not possible. Birding in the areas that we could enter, gave good views of a nesting **Rameron Pigeon**, **Green Wood-Hoopoe** and **Blue-Mantled Crested Flycatcher**. Leaving Nature's valley 8:30 we made one long ride to Himeville in Drakensberg (12 hours!).

7 Feb: Birding around Unterberg

We had decided to spend 3 nights in the nice surroundings in the mountainous area around Unterberg. We stayed in the very recommendable bed & breakfast called Albizia in Himevile run by Meg and Chris Wheeler. They care a lot about your convenience and do have knowledge of different bird trip possibilities. In their garden, **African Paradise Flycatcher**, **Red-chested Cuckoo** and **Amethyst Sunbird** are regulars. This day is mainly remembered of the 1000+ **Amur falcons** coming in to roost in a small patch of particular trees in Himeville. Among them a **Gymnogene** sat on a branch.

8 Feb: Birding around Unterberg

We have booked a full day trip to Sani Pass with Major Tours, which is based in Unterberg. They are very helpful to fulfil your wishes and do have bird keen guides on their trips. Nevertheless due to bad weather at the Sani pass, one of their guides, Johan, suggested to switch to a 4x4 trip for the two of us around Unterberg in search of Lammergeier, Bald ibis and other Drakensberg species. First we were a bit disappointed missing the Sani Pass, but it should turn out to be an excellent day starting with Johan pointing out **Long-Crested Eagle**, just outside Unterberg. Most interestingly was a drive to the Bushmans nek. In six hours, we counted 24 different raptor species, including **Black Harrier**, **Cape Vulture**, **Crested Eagle**, **Secretary bird**, **Lanner Falcon** and last





but not least **Lammergeier**. An **Osprey** was to Johan the most uncommon surprise only seen here five times in seven years. Other highlights included three species of **widowbird**, **African Black Duck**, **Crowned Crane**, **Mountain Pipit**, **Ground Woodpecker** and **Yellow Bishops**. A very productive day, the weather still being sub-optimal, and it is a good alternative to the Sani Pass, in case of bad weather or just if you have the time to do both. We saw a total of 75 species of birds that day.

9 Feb: Howick and Karkloof road, Umlalazi, Eshowe

We tried hard for **Bald ibis** in the area around Himeville, looking for recently ploughed fields. This is a favourite habitat for this bird. A flock of 10 was suddenly found on one of these, just as we turned away from the main road of Himeville. Having seen this lifer we tried the Karkloof road and the bird sanctuary for Wattled Crane, another lifer, but without luck. A late arrival to Umlalazi and Mtuzini gave us a hard time just finding the monument which is a reliable site for Palm-nut Vulture. The best way is to follow the signs to the "beach" which also is the short way to the nature reserve (10 R). It was almost dark when we arrived, and we were permitted a short and "free" walk. 100 meters from the entry we spotted the **Palm-nut vulture**, sitting in the top of a pine tree, and we returned happy after 5 minutes of searching. This luck somehow compensated for the no-found Wattled Crane. We spent the night at Amble Inn, Eshowe.

10 Feb: Dlinza forest, St Lucia

The city of Eshowe holds an urban forest canopy walk, unlike anything else we have seen around the world. It was with high expectations we entered this small adorable forest when the gates opened at 6 a.m. The highlight of the forest is the aerial boardwalk. It is 125 m long and in the end there is a tall tower forming a platform with extraordinary views of the forest. Here we saw among others African Emerald Cuckoo (one of the greatest sight on the whole trip), Purple-crested Turaco (several), Grey-headed Bush-shrike, Grey Cuckoo-shrike and Black-headed Oriole. On one of the trails we encountered Spotted Ground-thrush and Crested Eagle. A Narina Trogon was suddenly sitting for a few seconds on a low branch. After noon the activity fell and we headed to our next destination; St Lucia Wetlands. The reeds at the bridge just before entering the town hold a lot of different weavers. Thick-billed, Lesser-masked and Yellow Weaver were readily found. Unfortunately we had no sights of the uncommon Southern brown-throated, but look around for it. Wire-tailed Swallows are common and it was also first time we saw hippos, an animal that tend to be common in the area and the tourist attraction number one. We were told that sometimes the hippos run through the modern main road, along McDonalds and Levis Shops. It seems like the boat trips have the hippos and crocodiles as their main targets. You will see these animals elsewhere. We stayed at the recommendable Elephant Guest house. Already the first evening, we saw a group of **Crested Guineafowls** close to where we stayed.

11 Feb: St Lucia-Cape Vidal

Entering the nature reserve at 5 a.m. we drove the first 12 km to Cape Vidal and back to get breakfast at 9 a.m. After breakfast we took a short trip down to the camp site. Here we were surprised by the appearance of two **Black-throated Wattle-eyes**. We later re-entered and drove straight to Cape Vidal, returning slowly as the afternoons were suppose to be rewarding with game watching. **European Roller** is abundant here. One of the main sighting here was a close-by sitting **Southern Banded Snake-eagle**. Others included **Crowned** and **Trumpeter Hornbills**, **Bluecheeked Bee-eater**, **Yellow-throated Longclaw**. Nevertheless the afternoon game drive was disappointing.



CAPE TO KRÜGER 25 JAN-22 FEB 2008



12 Feb: Gwalagwala trail, Mkuze

Gwalagwala is a splendid trail, we did it in the early morning and some of the most teeming moments were found here. Natal robin, Livingstone's Turaco, Trumpeter Hornbills, Goldentailed Woodpecker, Brown Scrub-robin and Black-backed Puffback were all seen within an hour.

After a pleasant breakfast at the elephant guest house we made the 1½ hour drive to Mkuze Game Reserve. The 17 km long gravel road from the village of Mkuze was sometimes rough but apparently it was about to be improved, but still you should be aware of potholes. Inside the park the standard of the roads increased immediately and in this very productive area it is recommended to stay at least two nights. We stayed in bungalows (450 R/ pr night) in the main camp Mantuma, which were quite remote and private. Inside the camp baboons, nyalas and impalas are all present and they do not seem to take any notice of people. Mkuze is not very visited and you can drive around all day not meeting another car. This is in complete contrast to southern Krüger. This gives you a good opportunity to watch the bird life without interruptions and you are even allowed to leave your car.

13 Feb: Mkuze

We did a morning drive ourselves to the Nsumo Pan. There were plenty of birds, including **Blue Waxbills, Brubrus, Violet-backed Starling, Green-winged Pytilia, Black-crowned Tchagra, Golden-breasted Bunting** and a juvenile **Diderick Cuckoo**. At the pan, colonies of **Pink-backed Pelicans** and **Yellow-billed Storks** reside. A **Dwarf Bittern** and a small flock of **Fulvous Ducks** were seen flying over while **Greater Jacanas** are common here. On the way back we made a stop at the highly recommendable KuMasinga Hide. This is placed in the middle of a relatively small water hole where the big animals come to drink. The hours seem to disappear, and you are amused by zebras, nyalas, warthogs, impalas, elephants and even a rhino drinking water 5 meters from us. A herd of elephants (20-30) suddenly showed up, making their entrance surprisingly out of nothing. Birds are also to be found here. **Long-tailed Paradise-Whydah**, **White-crested Helmet-Shrike**, **Black Cuckoo-Shrike**, **Blue Waxbill** and **Emerald-spotted Wood-Dove** were the most prominent. When entering the Kumasinga hide, already when walking on the wooden boardwalks, you should be extremely quite, since even the smallest noise will make a drinking rhino walk away. A night drive gave 3 species of nightjar and a **Large-spotted Genet**.



Blue waxbills in Mkuze





14 Feb: Fig forest walk, Bonamanzi Game reserve

It's recommended to reserve a guided Fig Forest Tree walk at the office (before 4 p.m.). Highlights were superb views of **African Broadbill**, **Pel´s Fishing-Owl** and **Narina Trogon** and among several mammals, a brief view of a **Suni** the smallest antelope species.

After a short return to the KuMasinga Hide, where **Kurrikane Thrush** was seen, again, a huge number of mammals was attracted by the waterhole. We went a little south to the private and cosy game reserve Bonamanzi. It is mainly covered with sand forest. This evening was quiet and the only new birds were **Crested Francolin** and **Giant Kingfisher**.

15 Feb: False Bay, Nisela (Swaziland)

The morning guided walk turned out to be very disappointing. Some miscommunication ended up in a "i-don't-need-a-guide-to-find-bulbuls-and-drongos" trip You really need to specify the bird species you want to see. Do it already when you are book it and preferably to the game ranger, not one of the guides. Nevertheless it all ended happily, since the Game Rangers suddenly took action, hearing about our experience. We did not even complain. She took us on an overwhelming and stunning 4 WD trip for 3 hours. The "bulbul" guide was still with us, she also preferred other birds, and she was a keen birder. They insisted in showing us the celebrity bird of the area the **Rosythroated Longclaw**. An incredible rough road to an area around False Bay where even Bonamanzi has to pay the owner to enter is probably the most reliable place in South Africa to see this beautiful bird. We saw several. This trip is probably not on their normal tour list but ask at least to go to the river, where they normally do boat trips (these were under maintenance when we were there). There we saw **Little Bee-eater**, **Shelley's Francolin**, **Little Sparrowhawk** and some different cisticolas beautifully identified by the "bulbul" guide. This trip was a great gesture offered by the staff.

Delayed but very satisfied we left Bonamanzi and on our way to Krüger we decided to stay one night in Swaziland in the Nisela Safari Lodge. Definitely a nice place but their guided game drives didn't sound of much. Nevetheless, the game ranger knew a lot of good birding places in Krüger, we decided to leave early next day to get as soon to Krüger as possible. No new birds were added to our list in Swaziland, but it should still be considered as a quick way to Krüger.

16 Feb: Krüger (Pretoriskop)

The first nights accommodation in Krüger was not reserved. Our plan was to stay in Lower Sabie, but Pretoriskop was the only camp in southern Krüger with vacancy. Anyway, from the Crocodile Gate to Pretoriskop interesting birding awaits you. Good views of **Batteleur, Lilac-breasted Roller**, **Carmine**, **European** and **White-fronted Bee-Eater**, **Grey, Yellow-billed, Red-billed Hornbill**, Jacobins Cuckoo and Go-away Bird all seemed to be rather common. From the Lower Sabie Restaurant we saw a **Black Stork** soaring and finally landing. A **Black Egret** sat on a low branch. It's a good stopover for lunch and it seems like a very good idea to stay there, mainly due to the nice views over the river.

17 Feb: Krüger (Satara)

This day was amazing, starting with **Pale-chanting Hawk** sitting on a pole close to the road. On the Waterhole road leading up to Skukuza a **leopard** slowly walked along the road 50 meters in front of us. It was there for 10-20 seconds, and then it disappeared in the high grass. Stunning!

18 Feb: Shingwedzi

We were on an early morning trip (4.30!) organized from the camp. It was disappointing as the driver didn't know anything about birds and didn't care much about possible game sights, he was





also very impatience. Generally it seems that the level of guides is very variable.



Purple-crested Turaco, Krüger

We saw everything from the very keen bird specialist to the guide not knowing the difference between a vulture and an eagle. Ask specifically ahead of your stay. Happy to be back in our own car, we headed north. This day was remembered for some spectacular sights including close-up views of a single **Saddle-billed Stork**, some running **Ground Hornbills** and a tree with **Whiteheaded**, **White-backed and Hooded Vulture**. Just next to Shingwedzi Camp a dry river next to the road we saw hundreds of **Marabou** and **White storks**. Also a single **Black Stork** was present.

19 Feb: Shingwedzi-Punda Maria

Doing the short gravel road to Kaniedood Dam gave good views of a juvenile **African Hawk-Eagle** and **Broad-billed Roller**. When we approached Punda Maria we birded the Mahonie Loop. **Hoopoe**, **White-bellied Sunbird** and two lionesses was the outcome. In the camp a small water bath attracted different species of fire-finches.

20 Feb: Punda Maria-Pafuri River camp

As the gates opened we did the Mahonie Loop again. These narrow gravel roads are obviously home to some rather territorial male elephants. We were suddenly situated face-to-face with a huge male elephant, with no possibilities to turn around. It forced us back hundred meters before it pulled a bit to the side and we could speed up and go the other way around. In the loop we saw a group of **Retz Helmet-Shrike**, **Mosque Swallows**, **Broad-billed Roller**, **Grey-headed Parrot** and a nesting couple of **Wahlberg's Eagle**.



CAPE TO KRÜGER 25 JAN-22 FEB 2008



Next we headed towards the Luvuvhu River at Pafuri. Just before it lots of vultures were attracted by a dead impala hanging from a tree. Mostly **White-backed** but also **White-headed** and **Lappet-faced** were around.

Due to hunger and low energy we drove outside the park and came to the last accommodation on our trip, the Pafuri River Camp. It is a very charming place with basic but very cosy tree huts built in bird eye level. It was run by a lovely couple, where the husband has done all the construction and the maintenance. He is a good teller of incredible stories from his former life and his wife cooked us very delicious meals. There is a rare honesty in these people.

21 Feb: Pafuri

We re-entered Krüger early and tried our luck at the bridge, at the picnic site and the roads towards Crook's Corner. During the stay we found a beautiful male **Diderick Cuckoo**, **White-throated Bee-eaters** and a single **African Openbill**.

On our way back we saw a group of Wattled Starlings and a single Double-banded Sandgrouse.



Double-banded Sandgrouse, Pafuri River Camp

22 Feb: Pafuri River camp, Johannesburg Int'l airport

Last day was again mostly driving, but if you have a late flight from Johannesburg, you can easily start the morning with some birding even in the very northern part of Krüger. On Highway N1 we had a brief view of **Southern White-crowned Shrike**.





<u>Birdlist</u>

1.	African jackass penguin Boulders Beach
2.	Great crested grebe Rondevlei
3.	Black-necked grebe Strandfontein
4.	Little grebe
 5.	White-breasted cormorant
6.	Bank cormorant
0.	Kommetjie
7.	
7. 8.	Cape cormorant Reed cormorant
-	
9.	Crowned cormorant
40	Kommetjie
10.	African darter
11.	Great white pelican
	Rondevlei, Tienie Versveld
12.	Pink-backed pelican
	Colonies in Mkuze (Nsumo Pan)
13.	Goliath heron
	Rondevlei, Krüger
14.	Purple heron
	Wilderness
15.	Grey heron
16.	Black-headed heron
17.	Yellow-billed egret
	Rondevlei, Unterberg
18.	Great white egret
	Unterberg, Mkuze
19.	Little egret
	Kommetjie
20.	Cattle egret
21.	Black heron
	Krüger (Lower Sabie)
22.	Black-crowned night-heron
	Darling Hills Road, Rondevlei
23.	Green-backed heron
-0.	Krüger
24.	Dwarf bittern
L	Mkuze (Nsumo Pan)
25.	Little bittern
23.	Rondevlei
26.	Black stork
20.	
27	Krüger (Lower Sabie, Shingwedzi)
27.	Abdim's stork
~~	Krüger
28.	White stork
29.	Yellow-billed stork
	Mkuze (Nsumo Pan)
30.	Marabou stork
31.	Saddle-billed stork

	Krüger
32.	African openbill
	Krüger (Crooks' Corner)
33.	Woolly-necked stork
34.	Greater flamingo
	Stranfontein
35.	African spoonbill
36.	Hamerkop
37.	Hadadas ibis
38.	Southern bald ibis
	Road close to Himevile
39.	Glossy ibis
	Rondevlei
40.	African sacred ibis
41.	Spur-winged goose
	Rondevlei, Mkuze
42.	Egyptian goose
43.	South african shelduck
	West Coast NP, Unterberg
44.	Comb duck
	Krüger
45.	White-faced duck
46.	Fulvous duck
	Mkuze (Nsumo Pan)
47.	Southern pochard
	Rondevlei
48.	Maccoa duck
	Strandfontein
49.	Yellow-billed duck
50.	African black duck
	Unterberg
51.	Mallard
	Rondevlei
52.	Cape shoveler
53.	Cape teal
	Rondevlei, Strandfontein
54.	Red-billed teal
	Rondevlei, Strandfontein
55.	Lappet-faced vulture
	Krüger (Pafuri)
56.	White-headed vulture
	Krüger (Satara, Pafuri)
57.	Cape vulture
	Potberg, Unterberg
58.	White-backed vulture
59.	Bearded vulture
	Unterberg
60.	Palm-nut vulture
	Umlalazi
61.	Hooded vulture
	Krüger (Satara)





~~	
62.	African fish-eagle
63.	Osprey
	Unterberg
64.	Bateleur
•	
0F	Krüger
65.	Brown snake-eagle
66.	Black-chested snake-eagle
67.	Southern banded snake-eagle
	St Lucia Wetlands
68.	Steppe eagle
00.	
	St Lucia Wetlands
69.	Lesser spotted eagle
	Krüger (Pafuri)
70.	Tawny eagle
71.	Martial eagle
	Krüger (Pafuri)
72.	
12.	African crowned eagle
	Mkuze
73.	Long-crested eagle
	Unterberg, Dlinza
74.	African hawk-eagle
	Krüger (Shingwedzi)
75	
75.	Booted eagle
	Jonkershoek
76.	Jackal buzzard
77.	Wahlberg's eagle
	Krüger (Punda Maria)
78.	Forest buzzard
70.	Cape Town (Lion's Head)
70	
79.	Steppe buzzard
80.	African harrier-hawk (Gymnogene)
	Himevile, Krüger (Punda Maria)
81.	African Marsh-harrier
	Unterberg
82.	Black harrier
02.	
	Potberg, West Coast NP,
	Unterberg
83.	Pallid harrier
	Vrüger
	Kruger
84.	Krüger Dark chanting goshawk
84.	Dark chanting goshawk
•	Dark chanting goshawk Krüger (Skukuza)
85.	Dark chanting goshawk Krüger (Skukuza) Black kite
85. 86.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite
85. 86. 87.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite
85. 86.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite
85. 86. 87.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite
85. 86. 87. 88.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi
85. 86. 87.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk
85. 86. 87. 88.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head),
85. 86. 87. 88. 89.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg
85. 86. 87. 88.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk
85. 86. 87. 88. 89.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk Unterberg
85. 86. 87. 88. 89.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk
85. 86. 87. 88. 89.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk Unterberg Rufous-chested sparrowhawk
85. 86. 87. 88. 89. 90.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk Unterberg Rufous-chested sparrowhawk Darling Hills Road
85. 86. 87. 88. 89.	Dark chanting goshawk Krüger (Skukuza) Black kite Yellow-billed kite Black-shouldered kite Little sparrowhawk Bonamanzi Black sparrowhawk Cape Town (Lion's Head), Unterberg African goshawk Unterberg Rufous-chested sparrowhawk

93.	Peregrine falcon
	Kirstenbosch
94.	Eurasian hobby
	Krüger (Satara)
95.	Amur falcon
	Abundant around Himevile
96.	Red-footed falcon
	Krüger
97.	Lesser kestrel
98.	Rock kestrel
99.	Swainson's spurfowl
	Krüger South
100.	Cape francolin
	Various places e.g. Rondevlei
101.	Natal francolin
400	Krüger
102.	Shelley's francolin
400	Bonamanzi
103.	Crested francolin
404	Bonamanzi
104.	Common peacock
105.	Helmeted guineafowl
106.	Crested guineafowl
107	St Lucia (in town), Bonamanzi Common ostrich
107.	
100	West Coast NP
108.	Harlequin quail
109.	Krüger (Pafuri) Common quail
103.	Krüger (up in the trees!!)
110.	Red-knobbed coot
111.	Common moorhen
112.	Allen's gallinule
••=•	Krüger
113.	Black crake
	Krüger (Satara)
114.	African jacana
	Mkuze (Nsumo Pan, Bonamanzi)
115.	Grey crowned crane
	Unterberg
116.	Blue crane
117.	Secretary bird
	Unterberg
118.	Denham's bustard
	De Hoop
119.	Ludwig's bustard
120.	Black-bellied bustard
	Krüger
121.	Southern black korhaan
	Darling Hills Road, West Coast
122.	African black oystercatcher
	Kommetjie
123.	Black-winged stilt
	Mkuze
124.	Three-banded plover





	Paarl, West Coast NP, Krüger
	(Lower Sabie)
125.	Kittlitz's plover
	Cape Town
126.	White-fronted plover
	West Coast NP
127.	Crowned lapwing
128.	White-crowned lapwing
	Krüger (Pafuri)
129.	African wattled lapwing
	Unterberg
130.	Blacksmith lapwing
131.	Grey plover
132.	Ruff
133.	Curlew sandpiper
134.	Sanderling
135.	Little stint
136.	Common sandpiper
137.	Wood sandpiper
138.	Common greenshank
139.	Common whimbrel
140.	Eurasian curlew
141.	Ruddy turnstone
142.	Water thick-knee
143.	Cape gull
144.	Kelp gull
145.	Caspian tern
146. 147.	Hartlaub's gull Swift tern
147.	Strandfontein
148.	Sandwich tern
	Cape Town
149.	Little tern
	Wilderness
150.	White-winged tern
151.	Whiskered tern
152.	Double-banded sandgrouse
	Krüger (Pafuri River Camp)
153.	Speckled pigeon
154.	African olive-pigeon (Rameron
pi	geon)
	Nature's Valley
155.	Lemon dove
	Nature's Valley, St. Lucia
156.	Rock dove
157.	African mourning dove
	Krüger
158.	Red-eyed dove
159.	Cape turtle-dove
160.	Laughing dove
161.	African green-pigeon
400	St. Lucia, Krüger (Skukuza)
162.	Emerald-spotted wood-dove
400	Krüger
163.	Tambourine dove

	Dlinza
164.	Namaqua dove De Hoop, Krüger
165.	Grey-headed parrot
	Krüger (Punda Maria)
166.	Brown-headed parrot
167.	Knysna turaco
4.00	Wilderness
168.	Livingstone's turaco St. Lucia
169.	Purple-crested turaco
	Dlinza, Bonamanzi, Krüger
170.	Grey go-away-bird
	Krüger
171.	African cuckoo
	Krüger (Pafuri)
172.	Red-chested cuckoo
	Himevile
173.	Levaillant's cuckoo
	Krüger (Shingwedzi)
174.	Jacobin cuckoo
	Krüger (Lower Sabie)
175.	Diderick cuckoo
	Mkuze, Krüger (Pafuri)
176.	Klaas's cuckoo
	Grootvadersbosch
177.	African emerald cuckoo
	Dlinza
178.	Burchell's cuckoo
179.	Pel's fishing-owl
	Mkuze (Fig Forest)
180.	Spotted eagle-owl
181.	Fiery-necked nightjar
	Mkuze (night drive)
182.	Square-tailed nightjar
	Mkuze (night drive)
183.	Swamp nightjar
	Mkuze (night drive)
184.	Alpine swift
	Cape Town (Lion's Head),
	Unterberg
185.	Common swift
	Unterberg
186.	African black swift
	Cape Town (Lion's Head)
187.	Little swift
188.	White-rumped swift
	Jonkershoek
189.	African palm-swift
	Krüger South
190.	Narina trogon
	Dlinza, Mkuze (Fig Forest)
191.	African broadbill
	Mkuze (Fig Forest)
192.	Red-faced mousebird





193.	Speckled mousebird
194.	White-backed mousebird
195.	Giant kingfisher
	Bonamanzi, Krüger
196.	Pied kingfisher
197.	Malachite kingfisher
198.	Woodland kingfisher
190.	Brown-hooded kingfisher
200.	
200.	Striped kingfisher Mkuze
201.	European bee-eater
202.	Blue-cheeked bee-eater
203.	White-fronted bee-eater
	Krüger
204.	Southern carmine bee-eater Krüger
205.	Little bee-eater
205.	Bonamanzi, Krüger
206.	Lilac-breasted roller
200.	
207.	European roller Purple roller
200.	•
200	Krüger Brood billed reller
209.	Broad-billed roller
040	Krüger (Shingwedzi, Punda Maria)
210.	Southern ground-hornbill
211.	Trumpeter hornbill
040	St. Lucia
212.	Crowned hornbill
	St. Lucia, Krüger
213.	African grey hornbill
	Krüger
214.	Southern yellow-billed hornbill
	Mkuze, Krüger
215.	Red-billed hornbill
	Krüger
216.	Green wood-hoopoe
	Nature's Valley, Mkuze
217.	Common scimitarbill
	Mkuze
218.	African hoopoe
	Darling (in town), Swaziland
	(Nisela)
219.	Lesser honeyguide
	De Hoop
220.	Black-collared barbet
	St. Lucia, Bonamanzi, Krüger
221.	White-eared barbet
	Dlinza
222.	Crested barbet
	Mkuze, Krüger
223.	Acacia pied barbet
	West Coast NP
224.	Yellow-rumped tinkerbird
	St. Lucia
225.	Red-fronted tinkerbird

 226. Ground woodpecker Unterberg 227. Olive woodpecker Wilderness, Dlinza 228. Cardinal woodpecker Mkuze 229. Golden-tailed woodpecker Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Mkuze 238. Mosque swallow 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 257. Pied crow 		Mkuze, Bonamanzi
Unterberg 227. Olive woodpecker Wilderness, Dlinza 228. Cardinal woodpecker Mkuze 229. Golden-tailed woodpecker Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven	226	
 227. Olive woodpecker Wilderness, Dlinza 228. Cardinal woodpecker Mkuze 229. Golden-tailed woodpecker Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow 245. Black saw-wing 246. Common house-martin 247. Grey-rumped swallow 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Mkuze 253. Grey cuckooshrike Mkuze 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	2201	
 Wilderness, Dlinza 228. Cardinal woodpecker Mkuze 229. Golden-tailed woodpecker Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	227.	
Mkuze 229. Golden-tailed woodpecker Diinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Krüger (Punda Maria) 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow St. Lucia 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 253.		
 229. Golden-tailed woodpecker Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Krüger (Punda Maria) 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	228.	Cardinal woodpecker
 Dlinza, St. Lucia 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		Mkuze
 230. Bennett's woodpecker Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	229.	Golden-tailed woodpecker
Krüger (Satara) 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow Krüger (Pafuri) 244. Pearl-breasted swallow Krüger (Pafuri) 245. Black saw-wing St. Lucia 246. Common house-martin Unterberg 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. <t< td=""><td></td><td>Dlinza, St. Lucia</td></t<>		Dlinza, St. Lucia
 231. Bearded woodpecker Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	230.	
Krüger 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow St. Lucia 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger <td></td> <td></td>		
 232. Sabota lark Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	231.	•
Krüger 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow St. Lucia 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger		
 233. Large-billed lark Tienie Versveld 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	232.	
Tienie Versveld234.Rufous-naped lark Mkuze235.Red-capped lark236.Chestnut-backed sparrowlark Krüger (Punda Maria)237.Red-breasted swallow Mkuze238.Mosque swallow Krüger (Punda Maria)239.Greater striped swallow240.Lesser striped swallow241.Barn swallow242.Wire-tailed swallow St. Lucia (on bridge)243.White-throated swallow Darling Hills Road, Unterberg244.Pearl-breasted swallow Darling Hills Road, Unterberg245.Black saw-wing St. Lucia246.Common house-martin Unterberg247.Grey-rumped swallow Krüger (Pafuri)248.Banded martin Unterberg249.Brown-throated martin Cape Town, Unterberg250.Fork-tailed drongo251.Square-tailed drongo252.Black cuckooshrike Mkuze253.Grey cuckooshrike Grootvadersbosch, Dlinza254.Eurasian golden oriole Mkuze (Fig Forest)255.Black-headed oriole Wilderness, Dlinza, Krüger256.White-necked raven		
 234. Rufous-naped lark Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	233.	
Mkuze 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven	224	
 235. Red-capped lark 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow St. Lucia 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	234.	
 236. Chestnut-backed sparrowlark Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	235	
 Krüger (Punda Maria) 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 237. Red-breasted swallow Mkuze 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 238. Mosque swallow Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	237.	
 Krüger (Punda Maria) 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		Mkuze
 239. Greater striped swallow 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	238.	Mosque swallow
 240. Lesser striped swallow 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 241. Barn swallow 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 242. Wire-tailed swallow St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		-
 St. Lucia (on bridge) 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 243. White-throated swallow Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	242.	
 Darling Hills Road, Unterberg 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	0.40	· • • •
 244. Pearl-breasted swallow 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	243.	
 245. Black saw-wing St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	244	
St. Lucia 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven		
 246. Common house-martin 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	245.	
 247. Grey-rumped swallow Krüger (Pafuri) 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	246.	
Krüger (Pafuri)248.Banded martin Unterberg249.Brown-throated martin Cape Town, Unterberg250.Fork-tailed drongo251.Square-tailed drongo252.Black cuckooshrike Mkuze253.Grey cuckooshrike Grootvadersbosch, Dlinza254.Eurasian golden oriole Mkuze (Fig Forest)255.Black-headed oriole Wilderness, Dlinza, Krüger256.White-necked raven		
 248. Banded martin Unterberg 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 249. Brown-throated martin Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	248.	
 Cape Town, Unterberg 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		0
 250. Fork-tailed drongo 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	249.	
 251. Square-tailed drongo 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
 252. Black cuckooshrike Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 		
Mkuze 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven		
 253. Grey cuckooshrike Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	252.	
Grootvadersbosch, Dlinza 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven	252	
 254. Eurasian golden oriole Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	255.	
Mkuze (Fig Forest) 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven	254	
 255. Black-headed oriole Wilderness, Dlinza, Krüger 256. White-necked raven 	237.	
Wilderness, Dlinza, Krüger 256. White-necked raven	255.	
256. White-necked raven		
	256.	
	257.	





258.	Cape black crow
259.	Southern black tit
	Mkuze
260.	Arrow-marked babbler
	Krüger
261.	Cape bulbul
262.	Dark-capped bulbul
263.	Terrestrial bulbul
205.	
004	Nature's Valley, Bonamanzi
264.	Sombre greenbul
265.	Yellow-bellied greenbul
266.	Eastern nicator
	Bonamanzi
267.	Olive thrush
268.	Kurrichane thrush
	Mkuze
269.	Groundscraper thrush
	Swaziland, Krüger
270.	Spotted ground-thrush
	Dlinza
271.	Familiar chat
272.	Capped wheatear
	Darling Hills Road
273.	African stonechat
274.	Buff-streaked chat
214.	Unterberg
275.	Anteating chat
275.	Unterberg
276.	Chorister robin-chat
270.	
077	Nature's Valley
277.	Red-capped robin-chat
	St. Lucia
278.	Cape robin-chat
	Kirstenbosch
279.	White-throated robin-chat
	Mkuze
280.	Brown scrub-robin
	St. Lucia
281.	Bearded scrub-robin
	Bonamanzi
282.	Karoo scrub-robin
	West Coast NP
283.	Willow warbler
284.	Yellow-bellied eremomela
	Krüger (Pafuri River Camp)
285.	Cape penduline-tit
	West Coast NP
286.	Little rush-warbler
	Wilderness
287.	African reed-warbler
288.	Dark-capped yellow warbler
200.	St. Lucia
289.	
	Cape grassbird
290.	Stierling's wren-warbler
	Mkuze

291.	Green-backed camaroptera
292.	Grey-backed camaroptera
	Krüger (Pafuri River Camp)
293.	Long-billed crombec
294.	Yellow-breasted apalis
295.	Rudd's apalis
296.	Bar-throated apalis
297.	Zitting cisticola
	Unterberg
298.	Cloud cisticola
299.	Neddicky
	Jonkershoek
300.	Croaking cisticola
	Bonamanzi
301.	Rattling cisticola
	Bonamanzi
302.	Lazy cisticola
303.	Levaillant's cisticola
	Afton Grove
304.	Karoo prinia
305.	Tawny-flanked prinia
	Mkuze
306.	African dusky flycatcher
307.	Spotted flycatcher
308.	Southern black flycatcher
	Mkuze
309.	Fiscal flycatcher
210	Paarl, De Hoop Pala flyaatabar
310. 311.	Pale flycatcher
311.	Blue-mantled crested flycatcher Nature's valley, Wilderness
312.	African paradise-flycatcher
312. 313.	Cape white-eye
314.	Cape batis
315.	Chinspot batis
010.	Mkuze, St. Lucia
316.	Black-throated wattle-eye
0101	St. Lucia
317.	Cape wagtail
318.	African pied wagtail
319.	Mountain pipit
	Unterberg
320.	African pipit
	Bonamanzi
321.	Yellow-throated longclaw
	St. Lucia, Bonamanzi
322.	Cape (orangethroated) longclaw
	Tinie Versveld, Bonamanzi
323.	Rosy-throated longclaw
	Bonamanzi (False Bay)
324.	Magpie shrike
	Krüger South
325.	Red-backed shrike
	Mkuze, Bonamanzi
326.	Lesser grey shrike





	Swaziland
327.	Common fiscal
328.	Southern boubou
	De Hoop
329.	Black-crowned tchagra
	Mkuze, Bonamanzi
330.	Brown-crowned tchagra
	Krüger
331.	Southern tchagra
332.	Grey-headed bush-shrike
	Dlinza
333.	Bokmakierie
334.	Orange-breasted bush-shrike
	Krüger (Punda Maria)
335.	Retz's helmet-shrike
000.	Krüger (Punda Maria)
336.	White-crested helmet-shrike
000.	Mkuze, Bonamanzi
337.	Southern white-crowned shrike
557.	On N1 from Krüger towards
	J´burg
338.	Brubru
550.	Mkuze
339.	Black-backed puffback
555.	St. Lucia, Mkuze
340.	Greater blue-eared starling
340.	
2/1	Krüger Capa glossy starling
341. 342.	Cape glossy starling
342.	Violet-backed starling
343.	Mkuze, Krüger (Shingwedzi) Black-bellied starling
343.	Umlalazi
244	Burchell's starling
344.	
245	Swaziland, Krüger
345.	Meves's starling
240	Krüger (Pafuri)
346.	Red-vinged starling
347.	Common myna
348.	Common starling
349.	Wattled starling
050	Krüger (Pafuri)
350.	African pied starling
351.	Red-billed oxpecker
	Krüger
352.	Cape sugarbird
	Kirstenbosch, Hermanus
353.	Malachite sunbird
354.	Orange-breasted sunbird
	Kirstenbosch!
355.	Scarlet-chested sunbird
	St. Lucia
356.	Amethyst sunbird
	Grootvadersbosch, Unterberg
357.	Eastern olive sunbird
358.	Collared sunbird

	Mkuze, Bonamanzi
359.	White-bellied sunbird
0001	Krüger (Punda Maria)
360.	Greater double-collared sunbird
361.	Southern double-collared sunbird
362.	
362.	Marico sunbird
	Mkuze
363.	House sparrow
364.	Cape sparrow
365.	Yellow-throated petronia
	Mkuze
366.	Southern grey-headed sparrow
	Himevile
367.	Red-billed buffalo-weaver
	Krüger
368.	Thick-billed weaver
	St. Lucia (bridge)
369.	Dark-backed weaver
	Dlinza
370.	Village weaver
570.	Karkloof
371.	Southern masked-weaver
571.	
270	Darling Hills Road
372.	Lesser masked-weaver
	St. Lucia (bridge)
373.	Cape weaver
374.	Yellow weaver
	St. Lucia (bridge)
375.	Red-billed quelea
376.	Southern red bishop
377.	Yellow-crowned bishop
	Unterberg
378.	Long-tailed widowbird
	Unterberg
379.	Red-collared widowbird
	Unterberg
380.	White-winged widowbird
	Krüger North
381.	Fan-tailed widowbird
0011	Unterberg
382.	Yellow bishop
302.	Tiene Versveld
202	
383.	Pin-tailed whydah
004	De Hoop, Unterberg
384.	Long-tailed paradise whydah
	Mkuze
385.	Dusky indigobird
	Mkuze
386.	Purple indigobird
	Krüger North
387.	Village indigobird
	Krüger South
388.	African firefinch
389.	Jameson's firefinch
390.	Red-billed firefinch
-	





391.	Swee waxbill
392.	Black-faced waxbill
	Krüger
393.	Common waxbill
394.	Blue waxbill
	Mkuze
395.	Red-backed manikin
	Umlalazi
396.	Cut-throat finch
	Krüger
397.	Green-winged pytilia
	Mkuze, Krüger
398.	African quailfinch
	Unterberg
399.	Yellow canary

- 400. Brimstone canary
- 401. Lemon-breasted canary Bonamanzi
- 402. Yellow-fronted canary
- 403. Cape canary
- 404. Drakensberg siskin Unterberg
- 405. Cape siskin
- 406. White-throated canary De Hoop
- 407. Cinnamon-breasted bunting Krüger (Pafuri)
- 408. Golden-breasted bunting Mkuze
- 409. Cape bunting





WINE SECTION

If you are seriously interested in wine it is highly recommended to buy "Platters" South African wine guide (small red book) already at arrival or even before coming to South Africa. This little red book is not only a guide to the wines, but also contains a list of wine friendly restaurants and accommodation. Nevertheless it cannot substitute a regular travel book.

A good idea is to buy at least one bottle at each vineyard visited. The tasting fee is thereby waived and you will get a good selection of tasted wines to bring along your trip around in South Africa. We would recommend getting some good tulip shaped wine glasses, before you leave the wine country. Outside Cape Town, the large wine shop in Hermanus has a good selection.

Be careful when carrying wine in the car. The extreme heat in the trunk during the day might alter the wine, and the dramatic changes from night to day time temperature are not good for any wine. Wrap the bottles in a towel and keep them stored in the middle of the suitcase, in order to minimise temperature changes.

Wining/dining

In Cape Town:

<u>Restaurant Caveau, 92 Bree street:</u> very service minded, many wines by the glass. Excellent tapas like menu. We shared one glass into two glasses, allowing a very extensive tasting. Another place, not visited though, is the wine bar and restaurant The Nose.

In Stellenbosch:

<u>L'Olive Deli and café:</u> Small dishes of high quality. Excellent value. Very attentive. Wine by the glass poured at the table.

<u>Wijnhuis:</u> Fantastic concept, with the opportunity to taste half and even around a quarter of a glass for very little money. Unfortunately wine was wrongly poured (a cheap blend instead an estate Chardonnay) and the waiting time was long. Generally the staff was inattentive staff, which did not match the expected level.

On the Cape peninsula, we only visited Groot Constantia, with decent dry whites and an amazing example of a late harvest.

Wine tasting

Stellenbosch:

Waterford

Has a beautiful setting and a good service with many wines for tasting. The second label, Pecan Stream, was easy drinking, but not an obvious smart buy. Kevin Arnold Shiraz was an excellent wine.

Ernie Els

The fantastic views from the terrace and the relaxed atmosphere make this place a must-visit. All 3 wines for tasting were outstanding, but the Ernie Els 2005 needs time to soften. Engelbrecht-Els





Proprietor's Blend (Bordeaux blend with syrah) was the most accessible of the wines and actually a very good value.



Views from the fantastic terrace at Ernie Els Winery

Uva Mira

Visited mainly because of the chardonnay, which unfortunately cannot be tasted and maximum one can be purchased. We did so and it was delicious, but not better than a couple of other Chardonnays tasted.

Rust & Vrede

All wines tasted were of very high quality, and especially the Shiraz was delicious.

Meerlust

This place must be one of the best places to visit around Stellenbosch. The staff was very attentive and they had an excellent and varied selection of wines for tasting. Among many there were a Burgundy styled Chardonnay (fantastic value), great Pinot Noir (to us, even better than Hamilton Russell), mature and very interesting merlot (1998), Cabernet Sauvignon and the icon wine Rubicon. The 2002 Rubicon was never released, instead the grapes went into the wine "Red", which must be one of the best values in the whole world (!) costing only 100 rand (10 €).

Neil Ellis

Very attentive service, but wines were average. Sauvignon blanc (premium range) was an exception.

Tokara

This is another must-visit vineyard. With a huge wine bar where all wines can be tasted for free. They were very service minded and kept a very high level of all wines. Especially the second label Zondernaam (Chardonnay and Cabernet Sauvignon) was a true bargain, with very rarely seen complexity in this low price range.





Franschhoek:

Graham Beck

This well known winery offered a high level of service, but all wines, maybe except the Ridge Shiraz, were a bit rustic and some of them over oaked.

Elgin/Walker Bay

Hamilton Russel

We tasted very good (but not exceptional) chardonnay and pinot noir. Personnel were inattentive and the wines are relatively expensive.

Whalehaven/Idiom

Good Shiraz/Mouvedre/Viognier blend. Other wines were either neutral or directly absurd. The sangiovese oozed too much of bay leaf, and the pinot noir (not available for tasting but purchased in the nearby large wine store) smelled like real burned rubber and not only the scent of it you will normally find in better pinot noirs. Do they add flavours to the wines?

Hermanuspieterfontein

The majority of the wines tasted were either outstanding or extremely good value. Best tasting experience on the trip. Sauvignon blanc No 3 must be one the best examples of this grape in South Africa. Bordeaux blends and shiraz were great. Cabernet Franc was a bit too tannic. The rosé "Bloos", was simply irresistible (extremely good value for 40 rand). The staff, especially two elder men, was extremely attentive and service minded, and we could have (and was almost asked to) stayed for several hours.



Happy moment at Hermanuspieterfontain